INDEX TO VOLUME 25

A

Page

Absolute measurement of self inductance by dual bridge, RP1310 ... 1
AC–DC transfer instrument, RP1344 ... 545
Acidic groups in cotton and wool, RP1314 ... 61
Acid-resistant enamels, RP1315 ... 71
Aging of leather, accelerated, RP1319 ... 149
Aircraft, corrosion of metals used in, RP1316 ... 75
Aircraft, metals, effect of low temperatures on properties, RP1347 ... 673
Alloys, corrosion of, RP1316 ... 75
Alloys, high-purity iron-carbon, effect of rate of heating on austenitic grain size, RP1322 ... 215
Aluminum alloys, corrosion, RP1328 ... 315
Amplifier, vacuum tube, RP1312 ... 41
Ash in textile fibers, electrodialytic estimation of, RP1314 ... 61
Austenitic grain size as affected by heating rate, RP1322 ... 215
Automatic weather observations, RP1318 ... 133

B

Barbrow, L. E., A photometric procedure using barrier-layer photocells, RP1348 ... 703
Barrier-layer photocell photometry, RP1348 ... 703
Basic groups in wool, RP1314 ... 61
Batteries, storage, RP1335 ... 417
Benzoic acid, high purity, preparation of, RP1351 ... 747
Bricks, air and water permeability, RP1349 ... 711
Bridge, dual, for the measurement of self inductance, RP1310 ... 1
Building stone, RP1320 ... 161
Bunting, E. N., R. F. Geller, Length changes of whiteware clays and bodies during initial heating, with supplementary data on mica, RP1311 ... 15
Burdick, Milton D., Studies on the system lime-ferric oxide-silica, RP1340 ... 475

C

Calcium oxide, ternary system with ferric oxide and silica, RP1340 ... 475
Cells, soil-corrosion, electrode potentials and polarization, RP1336 ... 421
Cement paste, relative humidity over, RP1334 ... 403
Cement, portland, nature of glass in, RP1324 ... 295
Ceramic materials, decomposition of, RP1331 ... 379
Clay, length changes during initial heating, RP1311 ... 15
Cobalt, effect in storage batteries, RP1335 ... 417
Compensator, alternating voltage, RP1312 ... 41
Concrete, relative humidity inside, RP1334 ... 403
Conrad, Carl M., Roy L. Whistler, Albert R. Martin, Pectin substance of cotton fibers in relation to growth, RP1326 ... 305
Cook, Richard K., Absolute pressure calibrations of microphones, RP1341 ... 489
Cooter, Irvin L., Frank Wenner, Chester Peterson, A vacuum-tube alternating-voltage compensator, RP1312 ... 41
Corrosion, cells, soil, electrode potentials and polarization, RP1336 ... 421
Corrosion of aluminum alloys, RP1328 ... 315
Corrosion of metals used in aircraft, RP1316 ... 75
Cotton, acidic properties of, RP1313 ... 47
Cotton, cation exchange in, RP1313 ... 47
Cotton, pectic substance in relation to growth of, RP1326 ... 305
Craig, D. Norman, George W. Vinal, Clarence L. Snyder, Note on the effects of cobalt and nickel in storage batteries, RP1335 ... 417
Cryostat for thermocouple calibration, RP1339 ... 459
Curtis, Harvey L., L. W. Hartman, A dual bridge for the measurement of self inductance in terms of resistance and time, RP1310 ... 1
Curtiss, Leon F., Integrating circuit for vapor-type Geiger-Müller counters, RP1330 ... 369

D

Page

Darnielle, Robert B., Measurement of electrode potentials and polarization in soil-corrosion cells, RP1336 ... 421
Diamond, Harry, Wilbur S. Hinman, Jr., An automatic weather station, RP1318 ... 133
——, ——, *Francis W. Dunmore, Evan G. Lapham*, An improved radio sonde and its performance, RP1329 ... 327
Diazomethane, reaction with silk and other proteins, RP1338 ... 451
Digges, Thomas G., Samuel J. Rosenberg, Effect of rate of heating through the transformation range on austenitic grain size, RP1322 ... 215
Dispersion, specific, of glasses, RP1352 ... 759
Drying conditions, effects on textiles, RP1337 ... 435
Dual bridge for the measurement of self inductance, RP1310 ... 1
Dunmore, Francis W., Harry Diamond, Wilbur S. Hinman, Jr., Evan G. Lapham, An improved radio sonde and its performance, RP1329 ... 327
Duralumin, corrosion, RP1328 ... 315

E

Effect of oxygen and moisture on the stability of leather atelevated temperatures, RP1319 ... 149
Electrode potential, of sodium, RP1350 ... 731
Electrode potentials in soil-corrosion cells, RP1336 ... 421
Electrodialytic estimation of ash, RP1314 ... 61
Electrodynamic wattmeter, standard, RP1344 ... 545
Electron attachment in the ionosphere, RP1342 ... 507
Elongation of silk yarns as affected by humidity, RP1353 ... 783
Enamels, determination of thickness, RP1315 ... 71
Expansion, thermal, of clay during initial heating, RP1311 ... 15

F

Ferric oxide, ternary system with calcium oxide and silica, RP1340 ... 475
Films, thickness, of adhering, RP1332 ... 385
Finn, Alfred N., John C. Young, Effect of composition and other factors on the specific refraction and dispersion of glasses, RP1352 ... 759
Four-terminal conductors, RP1323 ... 229
Freezing range as a criterion of purity, RP1351 ... 747
Frost, action on bricks, RP1349 ... 711
Fugitt, Charles H., Arnold M. Sookne, Jacinto Steinhardt, Electrodialytic estimation of ash and of acidic and basic groups in textile fibers, RP1314 ... 61
——, *Jacinto Steinhardt, Milton Harris*, Combination of wool protein with acid and base: The effect of temperature on the titration curve, RP1343 ... 519

G

d-Galacturonic acid, preparation of, RP1325 ... 301
Gause, G. Rupert, John Tucker, Jr., Method for determining the moisture condition in hardened concrete, RP1334 ... 403
Geiger-Müller counters, RP1330 ... 369
Geller, R. F., E. N. Bunting, Length changes of whiteware clays and bodies during initial heating, with supplementary data on mica, RP1311 ... 15
Glass, composition of, and specific refraction, RP1352 ... 759
Glass, nature of, in portland cement clinker, RP1324 ... 295
Glass, specific refraction of RP1352 ... 759
Gloss measurements, RP1345 ... 581
Granite, properties of, RP1320 ... 161

H

Page

Harris, Milton, Arnold M. Sookne, Relation of cation exchange to the acidic properties of cotton, RP1313 47
——, *Henry A. Rutherford, Wilbur I. Patterson,* Reaction of silk fibroin with diazomethane, RP1338 451
——, *Jacinto Steinhardt, Charles H. Fugitt,* Combination of wool protein with acid and base: The effect of temperature on the titration curve, RP1343 519
Harrison, William N., Leo Shartsis, Determination of thickness of acid-resistant portion of vitreous enamel coatings, RP1315 71
Hartman, Charles C., Determination of nonvolatile matter and the calculation of "cut" of shellac varnish, RP1333 395
Hartman, L. W., Harvey L. Curtis, A dual bridge for the measurement of self inductance in terms of resistance and time, RP1310 1
Heating, effect of rate on grain size of steel, RP1322 215
Hinman, Wilbur S., Jr., Harry Diamond, An automatic weather station, RP1318 133
——, ——, *Francis W. Dunmore, Evan G. Lapham,* An improved radio sonde and its performance, RP1329 327
Hobbs, Robert B., Effect of speed of pulling jaws on the tensile strength and stretch of leather, RP1321 207
Hoffman, James I., Decomposition of rocks and ceramic materials with a small amount of sodium carbonate, RP1331 379
Humidity, effect on strength and elongation of silk yarns, RP1353 783
Humidity, relative, inside concrete, RP1334 403
Hunter, Richard S., A multipurpose photoelectric reflectometer, RP1345 581
Hygrometer, electric, applied to humidity measurements inside concrete, RP1334 403
Hygrometer, electric type, in improved radio sonde, RP1329 327

I

Inductance, self, a dual bridge for the measurement of, RP1310 1
Inductor, supplement to, RP1312 41
Insley, Herbert, Nature of the glass in portland cement clinker, RP1324 295
——, *Daniel W. Kessler, William H. Sligh,* Physical, mineralogical, and durability studies on the building and monumental granites of the United States, RP1320 161
Integrating circuit for Geiger-Müller counters, RP1330 369
Ionosphere, recombination and electron attachment in, RP1342 507

J

Johnson, Paul V., Ray T. Stull, Some properties of the pore system in bricks and their relation to frost action, RP1349 711

K

Kanagy, Joseph R., Effect of oxygen and moisture on the stability of leather at elevated temperatures, RP1319 149
Kessler, Daniel W., Herbert Insley, William H. Sligh, Physical, mineralogical, and durability studies on the building and monumental granites of the United States, RP1320 161

L

Lapham, Evan G., Harry Diamond, Wilbur S. Hinman, Jr., Francis W. Dunmore, An improved radio sonde and its performance, RP1329 327
Leather, accelerated aging of, RP1319 149
Leather, effect of jaw speed on strength and stretch of, RP1321 207
Lewis, Arthur B., John H. Park, Standard electrodynamic wattmeter and ac-dc transfer instrument, RP1344 545
Liquid films, thickness, RP1332 385

Page

Logan, Hugh L., Electrode potential measurements as a means of studying the corrosion characteristics of wrought aluminum alloys of the duralumin type, RP1328 315

M

Martin, Albert R., Roy L. Whistler, Carl M. Conrad, Pectic substance of cotton fibers in relation to growth, RP1326 305
Masonry materials, RP1320 161
Meggers, William F., Charlotte E. Moore, Description and analysis of the second spectrum of vanadium (V II), RP1317 83
Metals, aircraft, effect of low temperatures on properties, RP1347 673
Meteorological factors, automatic remote measurement of, RP1318 133
Mica, effect on clay, and supplementary data, RP1311 15
Microphones, absolute-pressure calibrations, RP1341 489
Mohler, Fred L., Recombination and electron attachment in the *F* layers of the ionosphere, RP1342 507
Moisture, effect of, on leather, RP1319 149
Moore, Charlotte E., William F. Meggers, Description and analysis of the second spectrum of vanadium (V II), RP1317 83
Morey, Francis C., Thickness of a liquid film adhering to a surface slowly withdrawn from the liquid, RP1332 385
Mutchler, Willard, Corrosion of metals used in aircraft, RP1316 75
Mutual inductance of parallel helices, RP1346 619

N

Neoprene *G*, permeability to hydrogen, RP1327 309
Nickel, effect in storage batteries, RP1335 417

O

Ohm's law, RP1323 229
Oxygen, effect of, on leather, RP1319 149
Oxygen point apparatus, RP1339 459

P

Parallel solenoids, mutual inductance, RP1346 619
Park, John H., Arthur B. Lewis, Standard electrodynamic wattmeter and ac-dc transfer instrument, RP1344 545
Patterson, Wilbur I., Henry A. Rutherford, Milton Harris, Reaction of silk fibroin with diazomethane, RP1338 451
Pectic substance in cotton fibers of various ages, RP1326 305
Pectin, acidic properties of, RP1313 47
Pectin, preparation of *d*-galacturonic acid from, RP1325 301
Permeability of bricks to water and air, RP1349 711
Permeability of elastic polymers to hydrogen, RP1327 309
Peterson, Chester, Irvin L. Cooter, Frank Wenner, A vacuum-tube alternating-voltage compensator, RP1312 41
Photocell, barrier-layer, photometry, RP1348 703
Photoelectric reflectometer, RP1345 581
Photometry, using barrier-layer photocells, RP1348 703
Pigman, William Ward, Improvements in the preparation of *d*-galacturonic acid, RP1325 301
Polarization in soil-corrosion cells, RP1336 421
Polymers, elastic, permeability to hydrogen of, RP1327 309
Pore system in bricks, RP1349 711
Portland cement, nature of glass in, RP1324 295
Pressure, calibrations of microphones, RP1341 489

R

Radio meteorograph (radio sonde), improvements and performance of, RP1329 327
Radio sonde, audio modulation type, improvements and performance of, RP1329 327
Radio weather station for isolated locations, RP1318 133

Page

Recombination of electrons in the ionosphere, RP1342 ... 507
Recrystallization, continuous, apparatus for, RP1351 ... 747
Reflection measurement, RP1345 ... 581
Reflectometer, RP1345 ... 581
Refraction, specific, of glasses, RP1352 ... 759
Resistance comparisons, RP1323 ... 229
Robot weather station for remote locations, RP1318 ... 133
Rosenberg, Samuel J., Effect of low temperature on the properties of aircraft metals, RP1347 ... 673
——, *Thomas G. Digges*, Effect of rate of heating through the transformation range on austenitic grain size, RP1322 ... 215
Rubbers, synthetic, permeability to hydrogen, RP1327 ... 309
Rutherford, Henry A., Wilbur I. Patterson, Milton Harris, Reaction of silk fibroin with diazomethane, RP1338 ... 451

S

Sager, Theron P., Permeability of elastic polymers to hydrogen, RP1327 ... 309
Self inductance, dual bridge for the measurement of, RP1310 ... 1
Schenke, E. Max, Howard E. Shearer, Strength and elongation of silk yarns as affected by humidity, RP1353 ... 783
Schwab, Frank W., Edward Wichers, Preparation of benzoic acid of high purity, RP1351 ... 747
Scott, Russell B., Calibration of thermocouples at low temperatures, RP1339 ... 459
Shartsis, Leo, William N. Harrison, Determination of thickness of acid-resistant portion of vitreous enamel coatings, RP1315 ... 71
Shearer, Howard E., E. Max Schenke, Strength and elongation of silk yarns as affected by humidity, RP1353 ... 783
Shellac varnish, determination of nonvolatile in, RP1333 ... 395
Silica, determination of, RP1331 ... 379
Silicates, decomposition of, RP1331 ... 379
Silk, methylation of with diazomethane, RP1338 ... 451
Silk yarns, effect of humidity on strength and elongation, RP1353 ... 783
Single layer solenoids with parallel axes, RP1346 ... 619
Sligh, William H., Daniel W. Kessler, Herbert Insley, Physical, mineralogical, and durability studies on the building and monumental granites of the United States, RP1320 ... 161
Smith, Edgar Reynolds, John Keenan Taylor, Standard electrode potential of sodium, RP1350 ... 731
Snow, Chester, Mutual inductance of two helices whose axes are parallel, RP1346 ... 619
Snyder, Clarence L., George W. Vinal, D. Norman Craig, Note on the effects of cobalt and nickel in storage batteries, RP1335 ... 417
Sodium, standard electrode potential, RP1350 ... 731
Soil-corrosion cells, electrode potentials and polarization, RP1336 ... 421
Sookne, Arnold M., Charles H. Fugitt, Jacinto Steinhardt, Electrodialytic estimation of ash and of acidic and basic groups in textile fibers, RP1314 ... 61
——, *Milton Harris*, Relation of cation exchange to the acidic properties of cotton, RP1313 ... 47
Specific heat as a criterion of purity, RP1351 ... 747
Specific refraction of glasses, RP1352 ... 759
Spectrum of vanadium, RP1317 ... 83
Standard electrode potential of sodium, RP1350 ... 731
Standard electrodynamic wattmeter, RP1344 ... 545
Standard resistors, comparison of, RP1323 ... 229
Steel, effect of rate of heating on austenitic grain size, RP1322 ... 215
Steinhardt, Jacinto, Arnold M. Sookne, Charles H. Fugitt, Electrodialytic estimation of ash and of acidic and basic groups in textile fibers, RP1314 ... 61
——, *Charles H. Fugitt, Milton Harris*, Combination of wool protein with acid and base: The effect of temperature on the titration curve, RP1343 ... 519
Storage batteries, effect of cobalt and nickel, RP1335 ... 417
Stratosphere, measurements by improved radio sonde, RP1329 ... 327
Stull, Ray T., Paul V. Johnson, Some properties of the pore system in bricks and their relation to frost action, RP1349 ... 711
System, silica, with calcium and ferric oxides, RP1340 ... 475

T

Taylor, John Keenan, Edgar Reynolds Smith, Standard electrode potential of sodium, RP1350 ... 731
Temperature, effect of, on leather, RP1319 ... 149
Temperatures, low, effect on properties of aircraft metals, RP1347 ... 673
Textiles, acidic and basic groups in, RP1314 ... 61
Textiles, effects of drying conditions on, RP1337 ... 435
Thermal dilatation of clay during initial heating, RP1311 ... 15
Thermocouples at low temperatures, RP1339 ... 459
Thickness of enamel coatings, RP1315 ... 71
Titration curves, effect of temperature on, of wool with hydrochloric acid and potassium hydroxide, RP1343 ... 519
Transfer instrument, ac-dc, RP1344 ... 545
Tucker, John, Jr., G. R. Gause, Method for determining the moisture condition in hardened concrete, RP1334 ... 403
Tyrosine, methylation of, in proteins, RP1338 ... 451

U

Units of electrical resistance, RP1323 ... 229
Uronic acid, in cotton fibers of various ages, RP1326 ... 305

V

Vacuum tube, RP1312 ... 41
Vanadium, second spectrum of, RP1317 ... 83
Varnish, shellac, calculation of "cut," RP1333 ... 395
Vinal, George W., D. Norman Craig, Clarence L. Snyder, Note on the effects of cobalt and nickel in storage batteries, RP1335 ... 417
Voltage compensator, vacuum-tube, RP1312 ... 41

W

Wattmeter, standard electrodynamic, RP1344 ... 545
Weather-exposure tests on metals used in aircraft, RP1316 ... 75
Weather instruments, automatic remote indication of, RP1318 ... 133
Weather observations in upper atmosphere by radio sonde, RP1329 ... 327
Wenner, Frank, Methods, apparatus, and procedures for the comparison of precision standard resistors, RP1323 ... 229
——, *Irvin L. Cooter, Chester Peterson*, A vacuum-tube alternating-voltage compensator, RP1312 ... 41
Whistler, Roy L., Albert R. Martin, Carl M. Conrad, Pectic substance of cotton fibers in relation to growth, RP1326 ... 305
Wichers, Edward, Frank W. Schwab, Preparation of benzoic acid of high purity, RP1351 ... 747
Wiegerink, James G., Effects of drying conditions on properties of textile yarns, RP1337 ... 435
Wool, combination of, with hydrochloric acid and potassium hydroxide as affected by temperature, RP1343 ... 519

Y

Yarns, effects of drying conditions on textile, RP1337 ... 435
Yarns, silk, effect of humidity on strength and elongation, RP1353 ... 783
Young, John C., Alfred N. Finn, Effect of composition and other factors on the specific refraction and dispersion of glasses, RP1352 ... 759

Eng Lib

UNITED STATES DEPARTMENT OF COMMERCE
JESSE H. JONES, Secretary
NATIONAL BUREAU OF STANDARDS
Lyman J. Briggs, Director

✦

Journal of Research

of the

National Bureau of Standards

✦

Volume 25

July to December 1940

Research Papers 1310 to 1353

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1941

Corrections to be noted in volume 25 of the Journal of Research of the National Bureau of Standards

Page	Line	Now reads in part	Should read
7	2 from bottom	eq 25	eq 24.
44	Fig. 4	The magnitudes on the X and Y axes should be preceded by a decimal point.	
72	Fig. 1	b', b_1, b_2, b_3	b, b_1, b_2, b_3.
92	13 from bottom	4202.20	4204.20.
170	1 of column (1)		47.
	12 of column (1)	5	58.
	13 of column (1)		59.
	Serial No. 61, column (6)	oligoclase, and biotite	oligoclase, quartz, and biotite.
175	1, column (11)		Architectural and monumental.[9]
224	Table 7	1,000	1,600.
226	Table 10	Under "Remarks", the first note refers only to the steel *PC*-1 heated at the rate of 10° F/min.	
273	8 from bottom	the settings of the koys k_1, k_2, k_w, and k_w.	the setting either of the keys k_1, k_2, and k_w or k_1, k_2, and k_w.
535	Last of footnote 11	$\Delta\log K_{\text{monobasic}}$	$\Delta\log k_{\text{monobasic}}$
683		Figure 5	Figure 7.
684		Figure 6	Figure 5.
685		Figure 7	Figure 6.
733	Table 1, column 4	f_m (0.01 m)	f_m (0.1 m).
742	5 from bottom	$(RT/F)\ln(f_m m)$	$2(RT/F)\ln(f_m m)$.

Eng. Lib.
Direct

RESEARCH PUBLICATIONS

of the

NATIONAL BUREAU OF STANDARDS

1904–1919:

(*a*) *Bulletin of the Bureau of Standards.* A quarterly journal. The *Bulletin* contained all research papers until, in 1910, it was limited to scientific papers; see (*f*) for technical papers.

(*b*) Reprints [1] from (*a*). *Scientific Papers* S1 to S329.

(*c*) Volumes [2] of (*a*), cloth bound, consecutively paged and indexed. Volumes 1 to 14.

1919–1928:

(*d*) *Scientific Papers* [1] *of the Bureau of Standards* (separates continuing series (*b*), Nos. S330 to S572).

(*e*) Volumes [2] of (*d*), cloth bound, consecutively paged and indexed. Volumes 15 to 22.

1910–1928:

(*f*) *Technologic Papers* [1] *of the Bureau of Standards*, T1 to T370. Prior to T203 issued only as separates.

(*g*) Volumes [2] of (*f*) cloth bound, beginning with T203, volume designated No. 16, to volume 22; consecutively paged and indexed.

1928:

(*h*) *Bureau of Standards Journal of Research* (issued under new title "*Journal of Research of the National Bureau of Standards*" beginning with the July 1934 number, volume 13, no. 1); (monthly), continuing and consolidating series (*d*) and (*f*). Subscription $3.50 per year, to addresses in the United States and its possessions, and in countries extending the franking privilege; $4.50, elsewhere.

(*i*) Volumes [3] of (*h*), cloth bound (six monthly issues), consecutively paged and indexed.

(*j*) Separates [1] of (*h*) issued under new series title, *Research Papers.*

Circular C24 contains a list of (*a*) to (*g*), inclusive, from 1901 to June 30, 1925, accompanied by a short summary of each paper and a subject index. Two supplements continue this list, and with the Circular, give a complete list of all publications to June 30, 1936. A mimeographed insert furnished with the second supplement brings the list practically up to date. Copies of this Circular and the supplements should be found at Government depository libraries having files of the Bureau publications.

Copies of the separate or complete lists may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., as follows:

Circular C24, 7th edition (covering the period 1901 to June 30, 1925)	25 cents.
1925–1931 Supplement to C24 (covering the period July 1, 1925, to Dec. 31, 1931)	25 cents.
1932–1936 Supplement to C24 (covering the period Jan. 1, 1932, to June 30, 1936)	5 cents.
Complete list	55 cents.

[1] For prices and other information, see Circular C24 and Supplements thereto.

[2] Volumes 1 to 21, $2 each; 22, $3. Volumes 1, 2, and 5 of the Bulletin and volumes 15, 16, 19, and 20 of the Scientific Papers are out of print. Special prices for set, address Superintendent of Documents, Government Printing Office, Washington, D. C.

[3] Volumes 2 to 6, $2.75 each; 7 to 23, $3 each. For shipment to foreign countries, add 50 cents to the cost of the volume.

Separate copies of the Research Papers listed herein may be purchased from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., at the prices indicated beginning on page V, or at a discount of 25 percent for 100 copies or more. Remittance should be in the form of a post-office money order, coupons (issued by the Superintendent of Documents for the specific purpose of purchasing Government publications), express money order, New York draft, or cash at sender's risk.

CONTENTS OF VOLUME 25

Vol. 25—July 1940—No. 1

RP — Page

1310. A dual bridge for the measurement of self inductance in terms of resistance and time. Harvey L. Curtis and Leon W. Hartman [Price 5c] 1

1311. Length changes of whiteware clays and bodies during initial heating, with supplementary data on mica. R. F. Geller and E. N. Bunting [Price 10c] 15

1312. A vacuum-tube alternating-voltage compensator. Irvin L. Cooter, Frank Wenner, and Chester Peterson [Price 5c] 41

1313. Relation of cation exchange to the acidic properties of cotton. Arnold M. Sookne and Milton Harris [Price 5c] 47

1314. Electrodialytic estimation of ash and of acidic and basic groups in textile fibers. Arnold M. Sookne, Charles H. Fugitt, and Jacinto Steinhardt [Price 5c] 61

1315. Determination of thickness of acid-resistant portion of vitreous enamel coatings. William N. Harrison and Leo Shartsis [Price 5c] 71

1316. Corrosion of metals used in aircraft. Willard Mutchler [Price 10c] 75

1317. Description and analysis of the second spectrum of vanadium (V II). William F. Meggers and Charlotte E. Moore [Price 10c] 83

Vol. 25—August 1940—No. 2

1318. An automatic weather station. Harry Diamond and Wilbur S. Hinman, Jr [Price 10c] 133

1319. Effect of oxygen and moisture on the stability of leather at elevated temperatures. Joseph R. Kanagy [Price 5c] 149

1320. Physical, mineralogical, and durability studies on the building and monumental granites of the United States. Daniel W. Kessler, Herbert Insley, and William H. Sligh [Price 15c] 161

1321. Effect of speed of pulling jaws on the tensile strength and stretch of leather. Robert B. Hobbs [Price 5c] 207

1322. Effect of rate of heating through the transformation range on austenitic grain size. Samuel J. Rosenberg and Thomas G. Digges [Price 15c] 215

1323. Methods, apparatus, and procedures for the comparison of precision standard resistors. Frank Wenner [Price 15c] 229

Vol. 25—September 1940—No. 3

Page

1324. Nature of the glass in portland cement clinker. Herbert Insley. [Price 10c] 295
1325. Improvements in the preparation of d-galacturonic acid. William Ward Pigman. [Price 5c] 301
1326. Pectic substance of cotton fibers in relation to growth. Roy L. Whistler, Albert R. Martin, and Carl M. Conrad. [Price 5c] 305
1327. Permeability of elastic polymers to hydrogen. Theron P. Sager. [Price 5c] 309
1328. Electrode potential measurements as a means of studying the corrosion characteristics of wrought aluminum alloys of the duralumin type. Hugh L. Logan. [Price 5c] 315
1329. An improved radio sonde and its performance. Harry Diamond, Wilbur S. Hinman, Jr., Francis W. Dunmore, and Evan G. Lapham. [Price 10c] 327
1330. Integrating circuit for vapor-type Geiger-Müller counters. Leon F. Curtiss. [Price 5c] 369
1331. Decomposition of rocks and ceramic materials with a small amount of sodium carbonate. James I. Hoffman. [Price 5c] 379
1332. Thickness of a liquid film adhering to a surface slowly withdrawn from the liquid. Francis C. Morey. [Price 5c] 385

Vol. 25—October 1940—No. 4

1333. Determination of nonvolatile matter and the calculation of "cut" of shellac varnish. Charles C. Hartman. [Price 5c] 395
1334. Method for determining the moisture condition in hardened concrete. G. Rupert Gause and John Tucker, Jr. [Price 5c] 403
1335. Note on the effects of cobalt and nickel in storage batteries. George W. Vinal, D. Norman Craig, and Clarence L. Snyder [Price 5c] 417
1336. Measurement of electrode potentials and polarization in soil-corrosion cells. Robert B. Darnielle. [Price 5c] 421
1337. Effects of drying conditions on properties of textile yarns. James G. Wiegerink. [Price 5c] 435
1338. Reaction of silk fibroin with diazomethane. Henry A. Rutherford, Wilbur I. Patterson, and Milton Harris. [Price 5c] 451
1339. Calibration of thermocouples at low temperatures. Russell B. Scott. [Price 5c] 459
1340. Studies on the system lime-ferric oxide-silica. Milton D. Burdick. [Price 5c] 475

Vol. 25—November 1940—No. 5

Page

1341. Absolute pressure calibrations of microphones. Richard K. Cook. [Price 5c] 489
1342. Recombination and electron attachment in the *F* layers of the ionosphere. Fred L. Mohler. . . . . [Price 5c] 507
1343. Combination of wool protein with acid and base: The effect of temperature on the titration curve. Jacinto Steinhardt, Charles H. Fugitt, and Milton Harris. . . . . [Price 10c] 519
1344. Standard electrodynamic wattmeter and ac-dc transfer instrument. John H. Park and Arthur B. Lewis. . . . . [Price 10c] 545
1345. A multipurpose photoelectric reflectometer. Richard S. Hunter. [Price 10c] 581

Vol. 25—December 1940—No. 6

1346. Mutual inductance of two helices whose axes are parallel. Chester Snow. . . . . [Price 10c] 619
1347. Effect of low temperatures on the properties of aircraft metals. Samuel J. Rosenberg. . . . . [Price 10c] 673
1348. A photometric procedure using barrier-layer photocells. Louis E. Barbrow. . . . . [Price 5c] 703
1349. Some properties of the pore system in bricks and their relation to frost action. Ray T. Stull and Paul V. Johnson. . . . [Price 10c] 711
1350. Standard electrode potential of sodium. Edgar Reynolds Smith and John Keenan Taylor. . . . . [Price .5c] 731
1351. Preparation of benzoic acid of high purity. Frank W. Schwab and Edward Wichers. . . . . [Price 5c] 747
1352. Effect of composition and other factors on the specific refraction and dispersion of glasses. John C. Young and Alfred N. Finn. . . . . [Price 5c] 759
1353. Strength and elongation of silk yarns as affected by humidity. E. Max Schenke and Howard E. Shearer. . . . . [Price 5c] 783

Index to volume 25 (July 1940 to December 1940) Research Papers (RP1310 to RP1353). 791

○